

Recipients Under Age 65

Table 28.
Percentage distribution, by state or other area and diagnostic group, December 2003

State or area	Total		Congenital anomalies	Endocrine, nutritional, and metabolic diseases	Infectious and parasitic diseases	Injuries	Mental disorders			Neoplasms
	Number	Percent					Total	Retardation	Other	
All areas	4,912,627	100.0	1.4	3.3	1.5	2.2	57.9	22.4	35.5	1.1
Alabama	125,041	100.0	1.1	3.6	0.8	2.4	54.7	27.5	27.1	1.0
Alaska	7,596	100.0	1.8	2.9	1.1	3.3	54.0	15.0	39.0	1.3
Arizona	68,964	100.0	2.0	3.0	0.7	2.5	58.6	19.4	39.2	1.0
Arkansas	65,668	100.0	1.4	3.7	0.7	2.5	55.6	30.9	24.7	1.2
California	660,275	100.0	1.6	2.8	1.7	2.7	54.9	14.9	40.1	1.2
Colorado	40,345	100.0	2.1	2.8	1.1	3.0	52.1	18.8	33.2	1.2
Connecticut	38,731	100.0	1.1	3.1	2.7	1.8	58.9	17.9	41.0	0.9
Delaware	10,514	100.0	1.4	2.9	2.2	2.0	59.0	24.4	34.6	1.0
District of Columbia	15,967	100.0	0.6	2.4	4.2	1.9	60.9	22.6	38.3	0.7
Florida	272,653	100.0	1.5	3.0	2.4	2.5	57.7	19.5	38.2	1.3
Georgia	145,816	100.0	1.4	3.8	1.8	2.2	53.5	27.1	26.4	1.2
Hawaii	13,251	100.0	1.1	2.8	0.9	2.4	62.8	16.3	46.5	1.0
Idaho	17,250	100.0	2.0	3.0	0.5	2.2	61.2	21.5	39.7	1.0
Illinois	198,042	100.0	1.2	3.2	1.3	1.7	64.6	25.2	39.4	0.9
Indiana	81,338	100.0	1.4	4.0	0.6	1.8	62.4	30.4	32.0	1.0
Iowa	34,654	100.0	1.6	3.4	0.4	1.8	63.2	28.6	34.6	1.0
Kansas	31,198	100.0	1.7	4.1	0.6	2.3	61.0	26.4	34.6	1.0
Kentucky	143,480	100.0	1.0	3.2	0.4	1.7	63.1	26.4	36.6	0.9
Louisiana	128,403	100.0	1.2	3.6	1.2	2.3	53.1	30.1	22.9	1.1
Maine	25,750	100.0	1.2	3.1	0.5	1.9	62.6	19.9	42.7	0.9
Maryland	66,162	100.0	1.3	2.9	2.9	2.2	55.8	23.3	32.5	1.1
Massachusetts	120,016	100.0	1.2	2.2	2.2	1.9	62.4	13.3	49.1	0.9
Michigan	180,353	100.0	1.2	3.5	0.7	1.8	62.7	25.1	37.6	0.9
Minnesota	53,353	100.0	1.5	2.1	0.7	2.3	67.0	21.6	45.5	0.8
Mississippi	92,645	100.0	1.0	3.9	0.8	2.1	56.0	26.2	29.8	1.0
Missouri	93,910	100.0	1.5	4.1	0.8	2.5	57.4	25.8	31.7	1.0
Montana	11,882	100.0	2.0	3.0	0.5	3.2	54.0	20.9	33.1	1.3
Nebraska	17,919	100.0	2.3	3.5	0.8	2.8	56.3	26.5	29.9	1.1
Nevada	22,507	100.0	2.4	2.9	1.5	2.4	52.9	16.4	36.5	1.4
New Hampshire	10,877	100.0	1.8	2.2	0.6	2.0	66.4	19.8	46.6	0.8
New Jersey	99,267	100.0	1.4	2.6	2.5	2.0	56.0	19.2	36.8	1.3
New Mexico	34,729	100.0	1.9	3.6	0.7	3.4	50.8	18.7	32.1	1.2
New York	401,799	100.0	1.1	2.9	3.5	1.8	55.4	17.6	37.8	1.2
North Carolina	142,578	100.0	1.4	3.6	1.4	2.1	58.1	30.7	27.4	1.0
North Dakota	6,101	100.0	2.6	2.3	0.4	2.6	60.6	28.3	32.3	1.0
Ohio	207,342	100.0	1.1	3.4	0.6	1.4	66.6	27.6	39.1	0.8
Oklahoma	58,570	100.0	1.5	4.0	0.6	2.2	56.5	29.7	26.8	1.2
Oregon	45,060	100.0	1.4	3.2	0.8	2.7	56.5	18.6	38.0	1.1
Pennsylvania	246,708	100.0	1.1	3.2	1.3	1.8	60.6	22.7	37.9	0.9
Rhode Island	21,857	100.0	1.0	2.4	1.4	1.7	64.7	21.1	43.6	1.0

(Continued)

Table 28.**Percentage distribution, by state or other area and diagnostic group, December 2003—Continued**

State or area	Diseases of the—								Other	Unknown
	Blood and blood-forming organs	Circulatory system	Digestive system	Genito-urinary system	Musculo-skeletal system and connective tissue	Nervous system and sense organs	Respiratory system	Skin and subcutaneous tissue		
All areas	0.6	3.8	0.8	0.9	8.0	8.1	2.3	0.1	1.9	6.2
Alabama	0.9	4.4	0.8	0.9	8.5	7.9	3.0	0.2	3.3	6.5
Alaska	0.2	3.2	1.0	0.6	11.6	10.3	1.7	0.2	2.1	4.8
Arizona	0.3	2.9	0.9	1.0	8.8	9.3	1.8	0.1	2.7	4.4
Arkansas	0.7	4.6	0.9	0.7	9.8	8.7	2.5	0.2	2.4	4.4
California	0.3	3.9	1.0	1.1	10.0	9.3	1.7	0.1	1.4	6.3
Colorado	0.2	2.8	1.2	0.9	10.7	11.6	2.1	0.2	2.4	5.6
Connecticut	0.5	3.4	0.7	0.8	7.3	8.3	2.2	0.2	1.5	6.8
Delaware	0.7	3.1	0.8	0.9	7.7	8.1	2.8	0.1	2.4	4.8
District of Columbia	0.9	3.7	0.5	1.8	6.2	6.9	1.7	0.2	1.5	5.8
Florida	0.8	4.2	0.9	0.9	6.1	7.0	2.4	0.2	2.0	6.9
Georgia	1.1	4.6	0.9	1.2	7.3	8.0	2.6	0.2	2.5	7.7
Hawaii	0.2	4.0	0.8	1.3	7.3	7.9	2.1	0.2	1.2	4.1
Idaho	0.2	2.4	0.9	0.5	7.7	9.7	1.5	0.1	1.7	5.3
Illinois	0.6	3.2	0.5	0.9	5.0	7.3	2.2	0.1	1.9	5.5
Indiana	0.4	3.1	0.8	0.7	5.7	8.5	2.3	0.1	1.9	5.3
Iowa	0.3	2.5	0.7	0.7	7.6	9.2	1.9	0.1	1.8	3.8
Kansas	0.4	2.7	0.8	0.7	7.1	9.3	2.0	0.1	1.9	4.4
Kentucky	0.2	3.7	0.6	0.5	8.6	6.5	3.0	0.1	1.7	4.9
Louisiana	1.1	5.6	0.7	1.1	8.5	8.1	2.4	0.3	2.6	7.2
Maine	0.1	3.0	0.7	0.4	10.6	6.7	1.9	0.2	1.0	5.1
Maryland	0.8	4.1	0.7	1.2	5.8	8.4	2.0	0.1	2.3	8.4
Massachusetts	0.3	2.8	0.7	0.5	7.9	7.7	2.1	0.1	1.1	5.9
Michigan	0.5	3.5	0.6	0.8	6.4	7.2	2.0	0.1	1.8	6.2
Minnesota	0.3	2.1	0.6	0.7	5.4	9.0	1.1	0.1	2.5	3.7
Mississippi	1.1	5.0	0.6	1.0	6.3	7.4	2.9	0.2	3.5	7.3
Missouri	0.6	3.5	0.8	0.8	8.4	8.0	2.3	0.1	1.8	6.3
Montana	0.2	2.7	1.1	0.9	11.6	11.2	2.3	0.1	1.8	4.1
Nebraska	0.4	2.9	1.0	0.7	8.7	10.5	1.8	0.2	2.0	4.8
Nevada	0.5	4.1	1.3	1.0	9.5	10.0	2.5	0.1	2.4	5.2
New Hampshire	0.2	2.5	0.7	0.4	6.6	8.9	1.5	0.1	1.2	4.3
New Jersey	0.7	4.2	0.8	1.2	7.2	9.1	3.0	0.1	3.0	4.9
New Mexico	0.2	3.0	1.2	1.2	12.9	10.2	2.0	0.2	2.0	5.3
New York	0.6	4.9	0.7	0.9	8.4	7.3	2.9	0.1	1.2	7.2
North Carolina	0.7	3.9	0.9	0.9	7.5	7.4	2.4	0.2	2.0	6.4
North Dakota	0.1	3.0	1.0	0.8	8.2	11.2	1.5	0.1	1.5	3.2
Ohio	0.4	2.6	0.6	0.7	4.7	6.4	1.9	0.1	1.4	7.1
Oklahoma	0.4	4.0	0.9	0.8	9.1	9.7	2.6	0.2	1.8	4.4
Oregon	0.2	2.8	1.0	0.7	9.8	9.9	1.9	0.1	2.6	5.3
Pennsylvania	0.4	3.5	0.8	0.7	8.0	6.7	2.3	0.1	1.4	7.2
Rhode Island	0.4	3.0	0.8	0.5	7.6	6.5	2.1	0.1	1.5	5.4

(Continued)

Recipients Under Age 65

Table 28.

Percentage distribution, by state or other area and diagnostic group, December 2003—Continued

State or area	Total		Congenital anomalies	Endocrine, nutritional, and metabolic diseases	Infectious and parasitic diseases	Injuries	Mental disorders			Neoplasms
	Number	Percent					Total	Retardation	Other	
South Carolina	78,762	100.0	1.3	3.1	1.1	2.3	57.1	29.1	28.0	1.1
South Dakota	9,379	100.0	2.3	2.6	0.5	2.6	56.6	23.6	32.9	0.9
Tennessee	123,074	100.0	1.2	2.9	0.7	1.9	61.4	29.1	32.3	1.0
Texas	293,713	100.0	2.2	4.6	1.5	2.6	48.7	19.4	29.4	1.5
Utah	17,654	100.0	3.1	2.7	0.4	2.1	59.7	23.8	35.9	1.0
Vermont	10,147	100.0	1.5	3.3	0.8	2.0	61.9	19.1	42.9	0.7
Virginia	96,840	100.0	1.4	3.2	1.1	2.0	58.0	27.7	30.3	1.2
Washington	84,054	100.0	1.6	2.9	0.9	2.2	60.0	17.4	42.7	1.0
West Virginia	62,650	100.0	1.0	4.1	0.4	2.2	59.4	31.5	27.9	0.9
Wisconsin	72,515	100.0	2.1	3.2	0.6	1.9	62.1	23.7	38.4	0.8
Wyoming	4,743	100.0	2.1	2.8	0.5	2.9	57.2	23.0	34.2	1.4
Outlying area										
Northern Mariana	525	100.0	5.7	1.7	1.0	3.0	34.1	13.3	20.8	0.8

(Continued)

Table 28.**Percentage distribution, by state or other area and diagnostic group, December 2003—Continued**

State or area	Diseases of the—								Other	Unknown
	Blood and blood-forming organs	Circulatory system	Digestive system	Genito-urinary system	Musculo-skeletal system and connective tissue	Nervous system and sense organs	Respiratory system	Skin and subcutaneous tissue		
South Carolina	1.3	4.5	0.8	1.1	6.6	8.0	2.8	0.2	2.4	6.2
South Dakota	0.2	2.9	1.1	0.9	10.5	11.4	2.4	0.1	1.9	3.2
Tennessee	0.5	3.7	0.7	0.7	7.7	6.8	2.4	0.1	2.0	6.4
Texas	0.6	5.1	1.2	1.4	10.2	10.8	2.0	0.2	2.7	4.7
Utah	0.1	1.7	0.7	0.7	6.2	11.5	1.6	0.1	2.8	5.5
Vermont	0.1	2.3	0.9	0.4	9.3	8.1	1.9	0.1	0.7	6.0
Virginia	0.7	3.9	0.7	1.1	7.9	7.7	2.3	0.1	2.1	6.7
Washington	0.3	2.6	1.0	0.6	8.6	8.6	1.7	0.2	1.8	6.0
West Virginia	0.1	3.7	0.7	0.5	8.6	6.6	2.9	0.2	1.1	7.6
Wisconsin	0.5	2.4	0.7	0.8	6.0	9.1	1.6	0.1	2.5	5.4
Wyoming	0.1	2.9	0.9	0.5	9.0	11.5	2.8	0.2	2.0	3.0
Outlying area										
Northern Mariana Islands	1.1	5.5	0.4	4.6	7.2	20.4	2.3	1.5	7.4	3.2

SOURCE: Social Security Administration, Supplemental Security Record (Characteristic Extract Record format), 100 percent data.

CONTACT: Stella M. Coleman (410) 965-0157 or ssi.asr@ssa.gov.